

Product Name OVEN/GRILL CLEANER - CLASSIC

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name CLEAN PLUS CHEMICALS PTY LTD

Address 16 George Young Street AUBURN NSW 2144

 Telephone
 02 9738 7444

 Fax
 02 9644 1777

 Emergency
 1800 201 700

Email info@cleanplus.com.au

Web Site www.cleanplus.com.au

Synonym(s) OVEN/GRILL CLEANER CLASSIC • PRODUCT CODE – 410

Use(s) CLEANING AND DEGREASING OF OVENS, STOVE TOPS, MICROWAVES, FRIDGES AND BENCH TOPS.

SDS Date 24 February 2010 v1

24 March 2011 v2 4 July 2012 v3

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC/ASCC CRITERIA

RISK PHRASES

R35 Causes severe burns

R41 Risk of serious damage to eyes

SAFETY PHRASES

S1/2 Keep locked up and out of reach of children

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37/39 Wear suitable gloves and eye/face protection

S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)

CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

UN No. 1814 DG Class 8 Subsidiary Risk(s) None Allocated

Packing Group II Hazchem Code 2R EPG 8A1

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
POTASSIUM HYDROXIDE	K-OH	1310-58-3	10-30%
EDTA TETRASODIUM SALT	C10-H12-N2-08.4Na	64-02-8	<10%



NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder
---------------------------	---------------	---------------	-----------

4. FIRST AID MEASURES

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to Eye

stop by the Poison Information Centre or a doctor, or for at least 15 minutes.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue

flushing with water until advised to stop by the Poisons Information Centre or a doctor.

Inhalation If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator where an inhalation risk

exists. Apply artificial respiration if not breathing.

For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do Ingestion

not induce vomiting.

Advice to Doctor CORROSIVE POISONING TREATMENT: Immediate treatment preferably in a hospital is mandatory. In treating

corrosive poisoning. DO NOT INDUCE VOMITING; DO NOT ATTEMPT GASTRIC LAVAGE; and DO NOT ATTEMPT TO NEUTRALISE THE CORROSIVE SUBSTANCE. Vomiting will increase the severity of damage to the oespohagus as the corrosive substance will again come in contact with it. Attempting gastric lavage may result

in perforating either the oesophagus or stomach.

First Aid Facilities Eye wash facilities and safety shower should be available.

5. FIRE FIGHTING MEASURES

Non flammable. May evolve toxic gases if strongly heated to decomposition. Contact with some metals (eg: **Flammability**

aluminum), may liberate potentially flammable – explosive hydrogen gas.

Fire and Explosion Non flammable. May evolve flammable hydrogen gas in contact with some metals. If product is present in a

fire, toxic gases may be evolved. Evacuate area and contact emergency services. Remain upwind & notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus

when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Extinguishing Non flammable. Prevent contamination of drains or waterways.

Hazchem Code 2R

Spillage

6. ACCIDENTAL RELEASE MEASURES

If spilt, contact emergency services if appropriate. Wear full-length PVC or rubber gloves, an air-line respirator (where an inhalation risk exists), overalls, PVC apron and rubber boots. Ventilate and clear area of all unprotected personnel. Absorb spill with sand, vermiculite or similar. Collect and place in sealable containers for treatment and disposal.

7. STORAGE AND HANDLING

Storage Store in cool, dry, well ventilated area, removed from acids, combustible materials and foodstuffs. Ensure containers

are adequately labeled, protected from physical damage and sealed when not in use. Check regularly for leaks or

spills. Large storage areas should be bunded and have appropriate ventilation systems.

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact Handling

and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

SDS410 - OVEN GRILL CLEANER CLASSIC V3 REVISION: 3 Date: 4 July 2012

Page 2 of 5 Clean Plus Chemicals P/L Issue date: 24 March 2011



8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds Potassium Hydroxide (Peak limitation) TWA: 2.0mg/m3 (Reference: ASCC(AUS))

Biological Limits No biological limit allocated.

Engineering Controls Ensure adequate natural ventilation. Maintain vapour levels below the recommended exposure standard.

PPE Wear splash-proof goggles and PVC or rubber gloves, rubber, face shield and coveralls. Where an

inhalation risk exists, wear a type A (organic vapor) respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance DARK BROWN LIQUID Solubility (Water) SOLUBLE

OdourSLIGHT ODOURSpecific Gravity1.14 TO 1.16

Ph 13.5 – 14.0 Volatiles NOT AVAILABLE

Vapour Pressure NOT AVAILABLE Flammability NON FLAMMABLE

Vapour Density NOT AVAILABLE Flash Point NOT RELEVANT

Boiling Point 100°C (Approximately) Upper Explosion Limit NOT RELEVANT

Melting Point NOT AVAILABLE Lower Explosion Limit NOT RELEVANT

Evaporation Rate NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Incompatible with oxidizing agent (e.g. hypochlorite, peroxide), acids (eg. Hydrochloric acid), heat

and ignition sources. Also incompatible with combustible materials and dangerous goods.

Decomposition May evolve toxic gas if heated to decomposition.

Hazardous Reactions Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Highly corrosive. Use safe work practices to avoid eye or skin contact, spray mist generation or inhalation.

Eye Highly corrosive – severe irritant. Contact may result in irritation, lacrimation, pain, redness and conjunctivitis.

Prolonged contact may result in corneal burns and possible permanent damage.

Inhalation Corrosive. Over exposure to mists or vapours (if sprayed) may result in mucous membrane irritation of the

nose and throat with coughing. At high levels nausea, dizziness and headache. Low vapour pressure,

considerably reduces the potential for an inhalation hazard.

Skin Corrosive - irritant. Prolonged or repeated contact may result in drying the skin, rash and dermatitis.



Ingestion Highly corrosive. Ingestion may result in burns to the mouth and throat, nausea, vomiting, abdominal pain and

diarrhea. Ingestion of large quantities may result in ulceration, unconsciousness, convulsion, and death.

Toxicity Data POTASSIUM HYDROXIDE (1310-58-3)

LD50 (Ingestion):273mg/kg(rat)

EDTA TETRASODIUM SALT (64-02-8) LD50(Intraperitoneal):330mg/kg(mouse)

12. ECOLOGICAL INFORMATION

Environment WATER: If released to waterways, alkaline products may change the pH of the waterway. Fish will die if the pH

reaches 10-11 (goldfish 10.9, bluegill 10.5) SOIL: May leach to groundwater with toxic effects on aquatic life as above. ATMOSPHERE: Not expected to reside in the atmosphere. Drops or particles released to atmosphere

should be removed by gravity and/or be rained out.

13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the

manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and waterways as aquatic life may be threatened and environmental damage may result. Neutralise with dilute acid (e.g.

3 mol/L hydrochloric acid).

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

Shipping Name CORROSIVE LIQUID, N.O.S.

UN No. 1760 DG Class 8 Subsidiary Risk(s) None Allocated

Packing Group III Hazchem Code 2R EPG 8A1

15. REGULATORY INFORMATION

Poison Schedule Classified as Schedule 6(S6) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs

and Poisons (SUSDP).

All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

RESPIRATORS: In general, the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn to ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

EXPOSURE STANDARDS – TIME WEIGHTED AVERAGE (TWA) or WES (WORKPLACE EXPOSURE STANDARD) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16-hour break between shifts exists to enable the body to eliminated absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).



ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European Inventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre. NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Clean Plus Chemicals report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Clean Plus Chemicals report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

This Safety Data Sheet document has been compiled by Clean Plus Chemicals. Further clarification regarding any aspect of this product should contact Clean Plus Chemicals. While Clean Plus Chemicals has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Clean Plus Chemicals accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

End of Report

Prepared By

Clean Plus Chemicals Pty Ltd | 16 George Young St AUBURN NSW 2144 | Tel: 02 9738 7444 | Fax: 02 9644 1777 Email: info@cleanplus.com.au | Web: www.cleanplus.com.au

SDS410 - OVEN GRILL CLEANER CLASSIC V3 REVISION: 3 Date: 4 July 2012