

Product Name STAINLESS STEEL CLEANER

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name CLEAN PLUS CHEMICALS PTY LTD

Address 16 George Young Street AUBURN NSW 2144

 Telephone
 02 9738 7444

 Fax
 02 9644 1777

 Emergency
 1800 201 700

Emailinfo@cleanplus.com.auWeb Sitewww.cleanplus.com.au

Synonym(s) NOT APPLICABLE • PRODUCT CODE – 415

Use(s) STAINLESS STEEL CLEANER

SDS Date 24 February 2010 v1

4 July 2012 v2

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC/ASCC CRITERIA

NOT CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

UN No.None AllocatedDG ClassNone AllocatedSubsidiary Risk(s)None AllocatedPacking GroupNone AllocatedHazchem CodeNone AllocatedEPGNone Allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
ISOPROPYL ALCOHOL	C3-H8-O	67-63-0	10-30%
ETHYLENE GLYCOL MONOBUTYL ETHER	C6-H14-O2	111-76-2	1-10%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to

stop by the Poison Information Centre or a doctor, or for at least 15 minutes.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue

flushing with water until advised to stop by the Poisons Information Centre or a doctor.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

SDS415 - STAINLESS STEEL CLEANER V2 REVISION: 2 Date: 4 July 2012 Page 1 of 5 Clean Plus Chemicals P/L Issue date: 24 February 2010



Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed,

do not induce vomiting.

Advice to Doctor Treat symptomatically

5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases if strongly heated.

Fire and Explosion Non flammable. Treat as per requirements for Surrounding Fires: Evacuate area and contact emergency

services. Remain upwind & notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers &

nearby storage areas.

Extinguishing Non flammable. Prevent contamination of drains or waterways.

Hazchem Code None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage If spilt (bulk), wear splash-proof goggles and PVC/rubber gloves. Absorb spill with sand or similar and place in sealed

containers for disposal. Wash spill site down with water. For small amounts, dilute with water and flush to sewer.

Caution: surfaces may be slippery.

7. STORAGE AND HANDLING

Storage Store out of direct sunlight and out of reach of children, in a cool, dry, well ventilated area, removed from acids,

combustible materials and foodstuffs. Ensure containers are adequately labeled, protected from physical damage and

sealed when not in use. Check regularly for leaks or spills.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact

and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and

smoking in contaminated area.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

Ingredient	Reference	TWA		STEL	
Isopropyl Alcohol	ASCC(AUS)	400 ppm	983 mg/m ³	500ppm	1230mg/m3
EGBE	ASCC(AUS)	20.0ppm	96.9mg/m3	50.0ppm	242mg/m3

Biological Limits No biological limit allocated.

Engineering Controls Ensure adequate natural ventilation.

PPE Wear splash-proof goggles and PVC or rubber gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance BLUE THIN LIQUID Solubility (Water) SOLUBLE

Odour ALCOHOL ODOUR Specific Gravity 0.94 – 0.96

Ph 7.0 – 8.0 Volatiles NOT AVAILABLE

Vapour Pressure NOT AVAILABLE Flammability NON FLAMMABLE

SDS415 - STAINLESS STEEL CLEANER V2 REVISION: 2 Date: 4 July 2012 Page 2 of 5 Clean Plus Chemicals P/L Issue date: 24 February 2010



Vapour Density NOT AVAILABLE Flash Point NOT RELEVANT

Boiling Point 100°C (Approximately) Upper Explosion Limit NOT RELEVANT

Melting Point NOT AVAILABLE Lower Explosion Limit NOT RELEVANT

Evaporation Rate NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Compatible with most commonly used materials. Incompatible with acids (eg. Hydrochloric acid), heat and

ignition sources.

Decomposition May evolve toxic gas if heated to decomposition.

Hazardous Reactions Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Low toxicity. This product may only cause adverse health effects with prolonged and repeated skin contact, direct

eye contact or vapour inhalation at high levels. Over exposure may result in central nervous system damage.

Eye Irritant. Direct contact may result in irritation, lacrimation and conjunctivitis.

Inhalation Irritant. Inhalation may cause irritation to the respiratory system, nose and throat irritation, coughing and headache.

Over exposure may result in nausea, dizziness and drowsiness.

Skin Irritant. Prolonged or repeated contact may result in mild irritation.

Ingestion Low toxicity. Ingestion of large quantities may result in nausea, vomiting and gastrointestinal irritation.

Toxicity Data ISOPROPYL ALCOHOL(67-63-0)

LC50(Inhalation):16000ppm/8hours 16000/8hours(rat)

LCLo(Inhalation):12000ppm/8hours(mouse) LD50(Ingestion):3600mg/kg(mouse) LD50(Intraperitoneal):667mg/kg(rabbit) LD50(Intravenous):1088mg/kg(rat) LD50(skin):12800mg/kg(rabbit) LDLo(Ingestion):3570,g/kg(human) LDLo(Intravenous)1024mg/kg(dog) LDLo(Subcutaneous):6000mg/kg(mouse)

TDLo(Ingestion):13mg/kg(Infant)

ETYLENE GLYCOL MONOBUTYL ETHER (111-76-2)

LC50(Inhalation):700ppm(mouse) LD50(ingestion):300mg/kg(rabbit) LD50(skin):230mg/kg(guinea pig) TCLo(Inhalation):100ppm(human) TDLo(Ingestion):7813uL/kg(woman)

12. ECOLOGICAL INFORMATION

EnvironmentLimited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.

SDS415 - STAINLESS STEEL CLEANER V2 REVISION: 2 Date: 4 July 2012



13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. If bulk

quantities are required to be disposed of, contact the manufacturer for additional information.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

Shipping Name

None Allocated

UN No.
Packing Group

None allocated None Allocated DG Class Hazchem Code None Allocated None Allocated

Subsidiary Risk(s)

None Allocated

d **EPG** None Allocated

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Drugs and Poisons (SUSDP).

All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European Inventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Clean Plus Chemicals report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Clean Plus Chemicals report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.



Report Status

This Safety Data Sheet document has been compiled by Clean Plus Chemicals. Further clarification regarding any aspect of this product should contact Clean Plus Chemicals. While Clean Plus Chemicals has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Clean Plus Chemicals accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

End of Report

Prepared By

Clean Plus Chemicals Pty Ltd | 16 George Young St AUBURN NSW 2144 | Tel: 02 9738 7444 | Fax: 02 9644 1777 Email: info@cleanplus.com.au | Web: www.cleanplus.com.au