

Product Name GLASSWASH / DESTAINER POWDER

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name	CLEAN PLUS CHEMICALS PTY LTD
Address	16 George Young Street AUBURN NSW 2144
Telephone	02 9738 7444
Fax	02 9644 1777
Emergency	1800 201 700
Email	info@cleanplus.com.au
Web Site	www.cleanplus.com.au
Synonym(s)	CHLORINATED ALKALINE POWDER • PRODUCT CODE – 517
Use(s)	CLEANER, SOAKER AND SANITISER FOR MANUAL AND MACHINE GLASS WASHING APPLICATIONS.
SDS Date	24 February 2010 v1
	5 July 2012 v2

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC/ASCC CRITERIA

RISK PHRASES

R34	Causes burns				
R36/37/38	Irritating to eyes,	respiratory system	and skin		
SAFETY PHRAS	ES				
S1/2	Keep locked up a	nd out of reach of o	children		
S13	Keep away from f	ood, drink and anir	nal foodstuffs		
S22	Do not breathe du	ust			
S24/25	Avoid contact with	n skin and eyes.			
S26	In case of contact	t with eyes, rinse im	nmediately with plenty	of water and seek m	edical advice
S36/37/39	Wear suitable pro	tective clothing, glo	oves and eye/face pro	otection.	
S45	In case of accider	nt or if you feel unw	ell seek medical advi	ce immediately (Show	v the label where possible).
CLASSIFIED AS	A DANGEROUS G	OODS BY THE CF	RITERIA OF THE AD	G CODE	
UN No.	1759	DG Class	8	Subsidiary Risk(s)	None Allocated
Packing Group	III	Hazchem Code	2X	EPG	8A1

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
SODIUM CARBONATE	Na2-C-O3	497-19-8	30-60%



SODIUM TRIPOLYPHOSPHATE	H5-O10-P3-5Na	7758-29-4	10-30%
TRISODIUM PHOSPHATE	O4-P.3Na	7601-54-9	10-30%
SODIUM DICHLOROISOCYANURATE	C3-H-CI-N3- O3.Na.2H2-O	51580-86-0	1-10%
SODIUM GLUCONATE	C6-H11-O7.Na	527-07-1	1-10%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	remainder

4. FIRST AID MEASURES

Еуе	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poison Information Centre or a doctor, or for at least 15 minutes.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Ingestion	For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.
Advice to Doctor	Treat symptomatically

5. FIRE FIGHTING MEASURES

Flammability	Non flammable.	May evolve toxic	gases if	strongly heated.
--------------	----------------	------------------	----------	------------------

- Fire and Explosion Non flammable. No fire or explosion hazards exists.
- **Extinguishing** Non flammable. Prevent contamination of drains or waterways.
- Hazchem Code 2X

6. ACCIDENTAL RELEASE MEASURES

Spillage If spilt (bulk), wear dust-proof goggles, PVC/rubber gloves and a Class P1 (Particulate) respirator (where a dust inhalation risk exists). Ventilate spillage area. Collect and place in sealable containers for disposal. Avoid generating dust. Wash spill site with water.

7. STORAGE AND HANDLING

- Storage Store in cool, dry, well ventilated area, removed from direct sunlight, oxidizing agents (eg. Hypochlorites), acids and foodstuffs. Ensure containers are adequately labeled, protected from physical damage and sealed when not in use.
- **Handling** Before use carefully read the product label. Use of sale work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

SODIUM CARBONATE (total dust) SODIUM DICHLOROISOCYANURATE

TWA:10.0mg/m3 [Reference:ASCC(AUS)] TWA:1ppm (chlorine-decomposition)



 Biological Limits
 No biological limit allocated.

 Engineering Controls
 Do not inhale dust. Ensure adequate natural ventilation.

 PPE
 Wear dust-proof goggles and PVC or rubber gloves and

Wear dust-proof goggles and PVC or rubber gloves and coveralls. Where an inhalation risk exists, wear a Class P1 (Particulate) respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	PINK FLOWING POWDER	Solubility (Water)	SOLUBLE
Odour	CHLORINE LIKE ODOUR	Specific Gravity	NOT AVAILABLE
Ph	11.8 – 12.0 (1% SOLUTION)	Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
Boiling Point	NOT AVAILABLE	Upper Explosion Limit	NOT RELEVANT
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE		

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended conditions of storage.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources.
Material to Avoid	Incompatible with oxidizing agents (eg. Hypochlorites, peroxides) and acids (e.g. nitric acid), heat and ignition sources.
Decomposition	May evolve toxic gas if heated to decomposition.
Hazardous Reactions	Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Corrosive. This product has the potential to cause adverse health effects with direct eye or skin contact. Use safe work practices to avoid direct eye or skin contact and dust generation or inhalation. Upon dilution with water, the potential for serious corrosive effects may be reduced.

Eye Corrosive - Severe irritant. Contact may result in irritation, lacrimation, pain, redness, conjunctivitis. May result in burns with prolonged contact.

- Inhalation Corrosive. Over exposure at high levels may result in mucous membrane irritation of the nose and throat with coughing.
- Skin Corrosive Irritant. Contact may result in irritation, redness, itching, pain, dermatitis and burns.
- Ingestion Corrosive. Ingestion may result in burns to the mouth and throat, nausea, vomiting, abdominal pain and ulceration.
- Toxicity Data SODIUM CARBONATE (497-19-8) LC50(Inhalation): 800mg/m3/2 hours (guinea pig) LD50(Ingestion): 4090 mg/kg (rat) LD50(Intraperitoneal): 117 mg/kg (mouse)



LD50(Subcutaneous): 2210 mg/kg (mouse)

SODIUM TRIPOLYPHOSPHATE (77758-29-4) LD50(Ingestion): 3100 mg/kg (mouse) LD50(Intraperitoneal): 525 mg/kg (rat) LD50(Intravenous): 71 mg/kg (mouse) LD50(Subcutaneous): 2210 mg/kg (guinea pig)

SODIUM DICHLOROISOCYANURATE(51580-86-0) LD50(Ingestion):1670mg/kg(mammal) LDLo(Ingestion):3570mg/kg(human)

SODIUM GLUCONATE(527-07-1) LDLo(Intravenous):7630mg/kg(rabbit)

12. ECOLOGICAL INFORMATION

Environment Dichloroisocyanurates release chlorine in contact with water or moisture. Chlorine is highly toxic to all forms of aquatic life. Free chlorine has very low stability in natural water as it readily oxidizes inorganic and organic compounds.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Wearing personal protective equipment, cover with a weak reducing agent (eg. Sodium bisulphate, thiosulphate, or ferrous salt; but not sulphure, carbon or strong reducing agent). Mix well and spray with water. Add to container of water and neutralize with soda ash. Collect and dispose to an approved landfill site. Contact the manufacturer for additional information.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

Shipping Name	CORROSIVE SOLID N.O.S				
UN No.	1759	DG Class	8	, ()	None Allocated
Packing Group	III	Hazchem Code	2X	EPG	8A1

15. REGULATORY INFORMATION

Poison ScheduleA poison schedule number 5(S5) has been allocated to this product using the criteria in the Standard for the
Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

ABBREVIATIONS:

ADB - Air-Dry Basis. BEI - Biological Exposure Indice(s) CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds. CNS - Central Nervous System.



EINECS - European Inventory of Existing Commercial chemical Substances.
IARC - International Agency for Research on Cancer.
M - moles per litre, a unit of concentration.
mg/m3 - Milligrams per cubic metre.
NOS - Not Otherwise Specified.
NTP - National Toxicology Program.
OSHA - Occupational Safety and Health Administration.
pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm - Parts Per Million.
RTECS - Registry of Toxic Effects of Chemical Substances.
TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Clean Plus Chemicals report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Clean Plus Chemicals report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

This Safety Data Sheet document has been compiled by Clean Plus Chemicals. Further clarification regarding any aspect of this product should contact Clean Plus Chemicals. While Clean Plus Chemicals has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Clean Plus Chemicals accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

End of Report

Prepared By

Clean Plus Chemicals Pty Ltd | 16 George Young St AUBURN NSW 2144 | Tel: 02 9738 7444 | Fax: 02 9644 1777 Email: info@cleanplus.com.au | Web: www.cleanplus.com.au