



Product Name LAUNDRY POWDER - ENZYMO FRONT

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name CLEAN PLUS CHEMICALS PTY LTD

Address 16 George Young Street AUBURN NSW 2144

 Telephone
 02 9738 7444

 Fax
 02 9644 1777

 Emergency
 1800 201 700

Emailinfo@cleanplus.com.auWeb Sitewww.cleanplus.com.au

Synonym(s) NOT APPLICABLE • PRODUCT CODE – 522

Use(s) LAUNDRY POWDER FOR FRONT LOAD MACHINE.

SDS Date 24 February 2010 v1

27 May 2011 v2 5 July 2012 v3

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC/ASCC CRITERIA

RISK PHRASES

R36/38 Irritating to eyes and skin.

SAFETY PHRASES

S13 Keep away from food, drink and animal feeding stuffs.

S2 Keep out of reach of children

S22 Do not breathe dust.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell seek medical advice immediately (Show the label where possible).

NOT CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

UN No.None AllocatedDG ClassNone AllocatedSubsidiary Risk(s)None AllocatedPacking GroupNone AllocatedHazchem CodeNone AllocatedEPGNone Allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
SODIUM CARBONATE	Na2-C-O3	497-19-8	30-60%



SODIUM METASILICATE PENTAHYDRATE	Na2-Si-O3	10213-79-3	1-10%
MODIFIED SODIUM DISILICATE	Not Available	1344-09-8	10-30%
ENZYME	Not Available	Not Available	<1%
NONIONIC SURFACTANTS	Not Available	Not Available	1-10%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	remainder

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to

stop by the Poison Information Centre or a doctor, or for at least 15 minutes.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue

flushing with water until advised to stop by the Poisons Information Centre or a doctor.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed,

do not induce vomiting.

Advice to Doctor Treat symptomatically

5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases if strongly heated.

Fire and Explosion Non flammable. Treat as per requirements for Surrounding Fires: Evacuate area and contact emergency

services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including self Contained Breathing Apparatus (SCBA) when combating fire. Use water fog to cool intact containers

and nearby storage areas.

Extinguishing Non flammable. Prevent contamination of drains or waterways.

Hazchem Code None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage If spilt (bulk), wear dust-proof goggles, PVC/rubber gloves and a Class P1 (Particulate) respirator (where a dust

inhalation risk exists). Ventilate spillage area. Collect and place in sealable containers for disposal. Avoid

generating dust.

7. STORAGE AND HANDLING

Storage Store in cool, dry, well ventilated area, removed from direct sunlight, oxidizing agents (e.g. Hypochlorites), acids and

foodstuffs. Ensure containers are adequately labeled, protected from physical damage and sealed when not in use.

Check regularly for leaks or spills.

Handling Before use carefully read the product label. Use of sale work practices are recommended to avoid eye or skin contact

and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and

smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION



Exposure Stds SODIUM CARBONATE (total dust)

TWA: 10.0mg/m3 (Reference: ASCC(AUS))

Biological Limits No biological limit allocated.

Engineering Controls Ensure adequate natural ventilation.

PPE Wear dust-proof goggles and PVC or rubber gloves and coveralls. Where an inhalation risk exists, wear a

Class P1 (Particulate) respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance WHITE POWDER WITH BLUE SPECS Solubility (Water) SOLUBLE

NOT AVAILABLE Odour FRESH FRAGRANCE **Specific Gravity** Ph 10.5 TO 11 (1% SOLUTION) **Volatiles NOT AVAILABLE** Vapour Pressure **NOT AVAILABLE Flammability** NON FLAMMABLE **Vapour Density NOT AVAILABLE Flash Point NOT RELEVANT**

Boiling Point NOT AVAILABLE Upper Explosion Limit NOT RELEVANT

Melting Point NOT AVAILABLE Lower Explosion Limit NOT RELEVANT

Evaporation Rate NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Incompatible with oxidizing agents (eg. Hypochlorites, peroxides) and acids (e.g. nitric acid).

Decomposition May evolve toxic gas if heated to decomposition.

Hazardous Reactions Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Irritant. This product has the potential to cause adverse health effects with direct eye or skin contact. Use safe work

practices to avoid direct eye or skin contact and dust generation or inhalation.

Eye Severe irritant. Contact may result in irritation, lacrimation, pain, redness, conjunctivitis. May result in burns with

prolonged contact.

Inhalation Low irritant. Over exposure at high levels may result in mucous membrane irritation of the nose and throat with

coughing.

Skin Irritant. Prolonged or repeated contact may result in burns.

Ingestion Low to moderate toxicity. Ingestion of large quantities may result in nausea, vomiting and gastrointestinal irritation.

Toxicity Data SODIUM CARBONATE (497-19-8)

LC50(Inhalation): 800mg/m3/2 hours (guinea pig)

LD50(Ingestion): 4090 mg/kg (rat)



LD50(Intraperitoneal): 117 mg/kg (mouse) LD50(Subcutaneous): 2210 mg/kg (mouse)

SODIUM METASLICATE PENTAHYDRATE (10213-79-3)

LD50(Ingestion): 779 mg/kg (mouse) LDLo50(Ingestion): 200 mg/kg (dog)

LDLo50(Intraperitoneal): 117 mg/kg (guinea pig)

LDLo50(Ingestion): 15g/kg (rat)

12. ECOLOGICAL INFORMATION

Environment Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure

appropriate measures are taken to prevent this product from entering the environment.

Persistence/ Degradability This product is readily biodegradable.

13. DISPOSAL CONSIDERATIONS

Waste Disposal No special precautions are required for the disposal of this product. However, re-use where possible or return to

manufacturer. If bulk quantities are required to be disposed of, contact the manufacturer for additional information.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

Shipping Name

None Allocated

UN No. Packing Group

None allocated None Allocated DG Class

None Allocated

Subsidiary Risk(s)

None Allocated

Hazchem Code None Allocated EPG None Allocated

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Drugs and Poisons (SUSDP).

All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European Inventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre. NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

SDS522 - LAUNDRY POWDER-ENZYMO FRONT V3 REVISION: 3 Date: 5 July 2012



ppm - Parts Per Million. RTECS - Registry of Toxic Effects of Chemical Substances. TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Clean Plus Chemicals report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Clean Plus Chemicals report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

This Safety Data Sheet document has been compiled by Clean Plus Chemicals. Further clarification regarding any aspect of this product should contact Clean Plus Chemicals. While Clean Plus Chemicals has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Clean Plus Chemicals accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

End of Report

Prepared By

Clean Plus Chemicals Pty Ltd | 16 George Young St AUBURN NSW 2144 | Tel: 02 9738 7444 | Fax: 02 9644 1777 Email: info@cleanplus.com.au | Web: www.cleanplus.com.au

SDS522 - LAUNDRY POWDER-ENZYMO FRONT V3 REVISION: 3 Date: 5 July 2012 Page 5 of 5 Clean Plus Chemicals P/L Issue date: 27 May 2011